| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L3 | 6912 | message with router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:31 |
| L4 | 962 | router with key | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:27 |
| L5 | 52046 | (first with key) and (second with key) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:27 |
| L6 | 9993 | Key with (rollover or expir$6 or past$5 or invalid$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:27 |
| L7 | 12 | L3 and L4 and L5 and L6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:31 |
| L8 | 1 | ("6804776").URPN. | USPAT | OR | ON | 2005/08/06 10:30 |
| L9 | 6832 | signal$4 with router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:31 |
| L10 | 3 | L9 and L4 and L5 and L6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:33 |
| L11 | 4 | (("5999612") or ("5917817")).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/06 10:35 |
| L12 | 86 | "5999612" "5917817" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:35 |

| L13 | 0 | (L11 or L12) and rout$5 and key$5 and digest and (rollover or expir$6 or past$5 or invalid$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:36 |
|-----|---|---|---|---|---|---|
| L14 | 0 | (L11 or L12) and rout$5 and key$5 and digest and (time or timing) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:36 |
| L15 | 57 | (L11 or L12) and rout$5 and key$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:36 |
| L16 | 38 | L15 and @ad<"20001211" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:49 |
| L17 | 2 | "20020071430" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:46 |
| L18 | 1 | L17 and encrypt$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:47 |
| L19 | 3910 | key$5 and rout$5 and messag$5 and digest and ((ID or identif$5 or identit$5 or number or value) with (count$5 or index$5 or sequenc$5 or order$5 or table)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:48 |
| L20 | 1781 | L19 and @ad<"20001211" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:57 |
| L21 | 303 | L20 and router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:49 |
| L22 | 113 | L21 and MD5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:49 |

| L23 | 113 | L22 and network$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:50 |
|-----|-----|-------------------|--------|----|----|-----------------|
| L24 | 53 | L23 and Ethernet | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:50 |
| L25 | 1 | L24 and router.ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:50 |
| L26 | 21 | ("6185678").URPN. | USPAT | OR | ON | 2005/08/06 10:54 |
| L27 | 3 | "6363480" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:55 |
| L28 | 60 | (preset or presend or earlier or future or before) with (key or keying) with digest | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 10:57 |
| L29 | 27 | L28 and @ad<"20001211" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 11:07 |
| L30 | 13 | (reverse or earlier or preceeding or past) with digest with (key or keying) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 11:06 |
| L31 | 105 | ((reverse or earlier or preceeding or past) with (sequence or ID or ident$5 or identif$5 or count$5 or index$4) with (key or keying)) and digest | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 11:07 |
| L32 | 28 | L31 and @ad<"20001211" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/06 11:07 |

# WEST Search History

DATE: Saturday, August 06, 2005

| Hide? | Set Name | Query | Hit Count |
|---|---|---|---|
| | | *DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR* | |
| ☐ | L34 | 20001211 | 35 |
| ☐ | L33 | KEY$4 WITH (AUTHENTICAT$5 or author$5 or validat$5 or certif$5 or guarant$5 or verif$5) WITH (ROLLOVER or expir$5 or terminat$5 or invalid$5 or past$5) WITH (ROUT$5 or link$5 or digest or head$5) | 112 |
| | | *DB=PGPB,USPT; PLUR=YES; OP=OR* | |
| ☐ | L32 | 20001211 | 47 |
| ☐ | L31 | key$4 same rollover same rout$5 | 50 |
| ☐ | L30 | key$4 same authenticat$5 same rollover same rout$5 | 2 |
| ☐ | L29 | key$4 with authenticat$5 with rollover with rout$5 | 2 |
| ☐ | L28 | 20001211 | 11 |
| ☐ | L27 | (ephemeral with key$4) and router | 41 |
| ☐ | L26 | (ephemeral with key$4) and L23 | 6 |
| ☐ | L25 | (ephermeral with key$4) and L23 | 0 |
| ☐ | L24 | L22 and L21 and L15 | 3 |
| ☐ | L23 | rout$5.ab. | 35338 |
| ☐ | L22 | rout$5.ab. | 35338 |
| ☐ | L21 | rout$5 and key$5 and digest | 13296 |
| ☐ | L20 | L19 and L10 | 14 |
| ☐ | L19 | L18 and L8 | 24 |
| ☐ | L18 | 20001211 | 35 |
| ☐ | L17 | L16 and L14 | 0 |
| ☐ | L16 | router.ab. and digest | 81 |
| | | *DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR* | |
| ☐ | L15 | L14 and (expir$5 or (time with limit) or lifetime or time) | 48 |
| ☐ | L14 | 20001211 | 51 |
| ☐ | L13 | L8 and L9 and L10 and L11 and L12 | 176 |
| ☐ | L12 | digest and key$4 | 20166 |
| ☐ | L11 | second with first with (associat$5 or link$5 or relat$5 or depend$5) | 998285 |
| ☐ | L10 | (sequenc$5 or count$5 or index$5) with (ID or identifier or identity or number or value) | 1285003 |
| ☐ | L9 | (first with key$4) and (second with key$4) | 74737 |

| | | | |
|---|---|---|---|
| ☐ | L8 | (rout$4 or path or digest or header or plan$4) with (send$5 or transmit$5 or transfer$5 or deliver$5) with (information or message or signal) | 164084 |
| ☐ | L7 | L6 and digest and MD5 | 2 |
| ☐ | L6 | L4 and (sequenc$5 or index$5 or count$5) and key$4 | 309 |
| ☐ | L5 | L4 and (sequenc$5 or index$5 or count$5) and key$4 | 309 |
| ☐ | L4 | 20001211 | 1237 |
| ☐ | L3 | 20001211 | 1237 |
| ☐ | L2 | 370/389.ccls. | 2761 |
| ☐ | L1 | 20020071430 | 2 |

END OF SEARCH HISTORY

PALM INTRANET

## Inventor Name Search Result

Your Search was:

Last Name = SZYSZKO
First Name = JACEK

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|---|---|---|---|---|---|
| 11020788 | Not Issued | 020 | 12/22/2004 | METHOD AND APPARATUS PROVIDING MEASUREMENT OF PACKET LATENCY IN A PROCESSOR | SZYSZKO, JACEK |
| 10880247 | Not Issued | 020 | 06/29/2004 | MECHANISM FOR PRIORITIZING CONTEXT SWAPPING | SZYSZKO, JACEK |
| 09734834 | Not Issued | 071 | 12/11/2000 | KEYED AUTHENTICATION ROLLOVER FOR ROUTERS | SZYSZKO, JACEK |

## Inventor Search Completed: No Records to Display.

| | Last Name | First Name | |
|---|---|---|---|
| **Search Another: Inventor** | SZYSZKO | JACEK | Search |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page